

11/06/00

JC967 U.S. PTO

11.07-00

A

Please type a plus sign (+) inside this box → ☐Approved for use through 09/30/2000. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. 476-1955

First Inventor or Application Identifier Elberse

Title A Method of Using a Web-Browser to Pass Information From a First Web-Entity to One of a Plurality of Second Web-Entities

Express Mail Label No. EL 700 384 066 US

**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents

1. ☒ \* Fee Transmittal Form (e.g., PTO/SB/17)  
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 21]  
(preferred arrangement set forth below)
- Descriptive title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 5]
4. Oath or Declaration [Total Pages 4]
- a. ☒ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))  
(for continuation/divisional with Box 16 completed)
- i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

\* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

ADDRESS TO: Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

7. ☒ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement of Power of Attorney (when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 [Copies of IDS Citations]
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
13. ☐ \* Small Entity Statement(s) filed in prior application, Status still proper and desired (PTO/SB/09-12)
14. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
15. ☐ Other: \_\_\_\_\_

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment.

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. \_\_\_\_\_

Prior application information. Examiner \_\_\_\_\_ Group / Art Unit: \_\_\_\_\_

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

**17. CORRESPONDENCE ADDRESS**☐ Customer Number or Bar Code Label \_\_\_\_\_ or ☒ Correspondence address below

(Insert Customer No. or Attach bar code label here)

Name William M. Lee, Jr.  
Lee, Mann, Smith, McWilliams, Sweeney & Ohlson

Address P.O. Box 2786

City Chicago State Illinois Zip Code 60690-2786

Country USA Telephone (312) 368-1300 Fax (312) 368-6620

Name (Print/Type) William M. Lee, Jr. Registration No. (Attorney/Agent) 26,935

Signature [Signature] Date 11/6/00

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

TOTAL AMOUNT OF PAYMENT (\$) 990

## Complete if Known

Application Number  
Filing Date  
First Named Inventor **Elberse**  
Examiner Name  
Group Art Unit  
Attorney Docket No. **476-1955**

## METHOD OF PAYMENT

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to:

Deposit Account Number **12-0913**  
Deposit Account Name

- ☒ Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17  
☐ Applicant claims small entity status See 37 CFR 1.27

2. ☒ Payment Enclosed:

☒ Check ☐ Credit card ☐ Money Order ☐ Other

## FEE CALCULATION

## 1. BASIC FILING FEE

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
101 710	201 355	Utility filing fee	710
106 320	206 160	Design filing fee	
107 490	207 245	Plant filing fee	
108 710	208 355	Reissue filing fee	
114 150	214 75	Provisional filing fee	

SUBTOTAL (1) (\$) 710

## 2. EXTRA CLAIM FEES

Total Claims **20** - 20\*\* = **0** X **80** = **0**  
Independent Claims **6** - 3\*\* = **3** X **80** = **240**  
Multiple Dependent **14** X **80** = **1120**

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description
103 18	203 9	Claims in excess of 20
102 80	202 40	Independent claims in excess of 3
104 270	204 135	Multiple dependent claim, if not paid
109 80	209 40	** Reissue independent claims over original patent
110 18	210 9	** Reissue claims in excess of 20 and over original patent

SUBTOTAL (2) (\$) 240

\*\*or number previously paid, if greater; For Reissues, see above

## FEE CALCULATION (continued)

## 3. ADDITIONAL FEES

Large Entity Fee Code (\$)	Small Entity Fee Code (\$)	Fee Description	Fee Paid
105 130	205 65	Surcharge - late filing fee or oath	
127 50	227 25	Surcharge - late provisional filing fee or cover sheet	
139 130	139 130	Non-English specification	
147 2,520	147 2,520	For filing a request for <i>ex parte</i> reexamination	
112 920*	112 920*	Requesting publication of SIR prior to Examiner action	
113 1,840*	113 1,840*	Requesting publication of SIR after Examiner action	
115 110	215 55	Extension for reply within first month	
116 390	216 195	Extension for reply within second month	
117 890	217 445	Extension for reply within third month	
118 1,390	218 695	Extension for reply within fourth month	
128 1,890	228 945	Extension for reply within fifth month	
119 310	219 155	Notice of Appeal	
120 310	220 155	Filing a brief in support of an appeal	
121 270	221 135	Request for oral hearing	
138 1,510	138 1,510	Petition to institute a public use proceeding	
140 110	240 55	Petition to revive - unavoidable	
141 1,240	241 620	Petition to revive - unintentional	
142 1,240	242 620	Utility issue fee (or reissue)	
143 440	243 220	Design issue fee	
144 600	244 300	Plant issue fee	
122 130	122 130	Petitions to the Commissioner	
123 50	123 50	Petitions related to provisional applications	
126 240	126 240	Submission of Information Disclosure Stmt	
581 40	581 40	Recording each patent assignment per property (times number of properties)	40
146 710	246 355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149 710	249 355	For each additional invention to be examined (37 CFR § 1.129(b))	
179 710	279 355	Request for Continued Examination (RCE)	
169 900	169 900	Request for expedited examination of a design application	

Other fee (specify)

\* Reduced by Basic Filing Fee Paid

SUBTOTAL (3) (\$) 40

## SUBMITTED BY

Name (Print/Type) **William M. Lee, Jr.** Registration No. (Attorney/Agent) **26,935** Telephone  
Signature **William M. Lee, Jr.** Date **11/6/00**

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please acknowledge  
receipt of the  
enclosed

Arik Elberse et al.

Serial No. To Be Assigned

Filed: Herewith

Title: A Method of Using a Web-Browser to  
Pass Information From a First Web-Entity to  
One of a Plurality of Second Web-Entities

1. Utility Patent Application Transmittal
2. Fee Transmittal for FY 2001 in Duplicate
3. Recordation Form Cover Sheet and Assignment
4. Declaration and Power of Attorney for Patent App.
5. 21 Page Specification and 5 Sheets of Drawings
6. Check No. 42028 in the Amount of \$990
7. Certificate of Express Mailing (EL700384066US)
8. Return Postcard

DUE DATE (If Any): N/A

DATE SENT: November 6, 2000

"Express Mail" mailing label number


EL 700 384 066 US

Date of deposit: November 6, 2000

I hereby certify that this paper or fee is being deposited with the  
United States Postal Service "Express Mail Post Office to Addressee"  
service under 37 CFR 1.10 on the date indicated above and is  
addressed to the Commissioner of Patents and Trademarks,  
Washington, D.C. 20231.

Richard Sensenbrenner

(Typed or printed name of person mailing paper or fee)

  
(Signature of person mailing paper or fee)

10922 U.S. PTO  
09/707015  
11/06/00

**A METHOD OF USING A WEB-BROWSER TO PASS INFORMATION FROM A FIRST WEB-ENTITY TO ONE OF A PLURALITY OF SECOND WEB-ENTITIES**

**Background of the invention**

5 The invention relates to a method of using a web-browser to pass information from a first web-entity to one of a plurality of second web-entities.

10 One problem with existing communications networks is that they are complex and have a disjointed architecture. For example, there is a lack of converged network management functions, and security schemas are often incomplete, inconsistent and/or redundant. It is therefore desired to produce a high performance network architecture which gives convergence, is highly scalable and which enables network rather than nodal services to be provided.

15 The term "web-entity" is used to refer to any apparatus, device or communications node which is accessible using a web-browser and which is connected to or in communication with a web-based communications network. For example, the web-entity may be a web-based information system, or a telephone terminal connected to the internet.

20 The term "web-based information system", is used to refer to a web site, web pages, or web-based application which enables a user to access stored information. For example, the web-based information system can be a list of telephone numbers on a web page or can be a sophisticated web-based interface to a database. Web-based information systems such as telephone directories, television programme schedules, movie guide databases, weather information databases and the like are well known. However, when a user obtains information from such a web-based information system this is usually being obtained for a task which then needs to be completed by the user. Often this task involves sending the information onto another device. For example, in the case that the web-based information system is a telephone directory, the task is typically to obtain a person's telephone number and then to make a call to that person. In the case that the web-based information system is a television programme schedule, the task could be to obtain the broadcast time details for a particular show and to then enter these details into a video recorder in order to make a video recording of the show.

25

30

It is desired to simplify these tasks and automate them as far as possible. For example, instead of a user obtaining a telephone number from a web-based directory, and then manually dialling the number, it is required to automate this process. This can be thought of as a "click to dial" service, where a user selects a telephone number from the directory and then clicks a button in order to send that number directly to a telephone, or other suitable communications network node, for dialling. It is particularly difficult to automate this type of process where there are many available telephones and telephone systems (for example) and it is necessary to send a telephone number to a specific one of these from one of several web-based information systems. More generally, it is required to enable a web-based information system to forward information to another device which is connected to the web, such as a video recorder or a private branch exchange (PBX), under the control of a web-browser. Previously, this has been addressed by providing advance details of the device to the web-based information system. For example, in order for the web-based information system to send information to a video recorder that is connected to the web, the web-based information system needs to know the location or address (more specifically a web address) of the video recorder. However, if it is required to provide a web-based service whereby users access a television programme schedule and send details to their video recorder, it is not practical for the web-based service to know details of all potential user's video recorders. The present invention seeks to address this problem by providing a method whereby a web-based information system is able to send information to a device without having prior knowledge about that device.

Three methods which involve the web-based information system having knowledge of the information receiver (e.g. video recorder, private branch exchange) are now described with reference to Figures 1 to 2.

The first method is described with reference to Figure 1. Figure 1 shows a client computer 10 which is in communication with a web-based information system 14 (or any other suitable web-entity) via the internet 12. The user of the client computer 10 has access to one telephone terminal 5. One or more other telephone terminals 20 are present for use by other client computers which are not shown. The user's telephone terminal 5 is associated with the client computer 10 and the web server 15 using a registration process i.e. the user must first register his telephone terminal 5 and his client computer with the web server 15. The user's telephone terminal 5 is connected to a private branch exchange (PBX) 18 and from there to a public

switched telephone network 19. The PBX 18 is also connected to a web server 15 for example, using a CTI link. The web server 15 is connected to the internet 12. Consider the case where the web-based information system 14 is a telephone directory. Associated with each entry in the telephone directory is a (universal resource locator) URL for the web server 15 that is connected to the user's PBX 18. When the user of the client PC 10 accesses the web-based information service 14 and downloads for example a web page or another type of document with web links or an applet, he or she is able to select an entry in the web page telephone directory and cause the listed telephone number to be sent to the web server 15 as part of a corresponding URL and thus to the user's PBX 18. This enables the PBX to make the telephone call from the user's telephone terminal 5 to the selected telephone number. However, this approach has several drawbacks. For example, the URL of the web server 15 which is connected to the user's PBX 18 must be known by the web-based information service. Also, when other user's of a different PBX are considered the system is not really practical. For example, consider the user of a second client computer 11 whose telephone is connected to a different PBX 17 via a different web server 16. Because the web-based information service is arranged to forward telephone numbers to the other web server 15 it is not possible for a user of client pc 11 to select a telephone number and automatically initiate a call from his or her own telephone. In order to allow that to happen, several versions of the web-based information service would need to be provided, one for each PBX. This would be expensive and take up larger amounts of storage space. In addition, each user would need to know how to access the appropriate version of the web-based information service. A major drawback of this arrangement is thus that the web-based information service has knowledge about the web servers 15, 16 which are connected to PBXs 18, 17.

A second method can also be considered with respect to Figure 1. Here the web-based information service maintains a database containing information about registered users and an associated PBX (or video recorder or other device) for each user. This avoids the need for several versions of the web-based information service to be provided, but still requires that the web-based information service has knowledge of the PBX, video recorder, or other information receiving device, for each user. In order to obtain this knowledge, each user is required to complete a registration process in which the information about the location of the information receiving device is provided to each web-based information service which they wish

to use. However, this is time consuming for the user. Also, the web-based information service is required to maintain a complex database of the registration information and dynamically generate the appropriate web pages/information depending on which user is connected to the system. All of this is computationally  
5 expensive and very complex to implement, set up and maintain.

A third method is now considered with respect to Figure 2. Nortel Networks' own Internet Voice Button product enables customers who visit a business web site to click a button on a web page in order to call the business, for example, to place an order, request a service or ask for more information. As illustrated in Figure 2, a  
10 customer computer 25 is connected to the internet 29. A business computer 26 is also connected to the internet 29. Telephone terminals 27, 28 are connected to each other via a public switched telephone network (PSTN) 30. A business web site is provided using a web server 32 connected to the internet 29 and a voice button server 31 is also provided connected to both the internet 29 and the PSTN 30. When  
15 a customer clicks on a voice button on a web page of the web site, information is sent to the voice button server 31. This information includes the business telephone number to be called as well as customer preference information. The customer preference information is entered by the user in a registration type process when the customer uses voice button for the first time. The customer preference information  
20 includes the telephone number of the customer's telephone set or telephone terminal 27. The voice button server 31 then initiates a call to the customer terminal 27. when the customer answers this call, the voice button server 31 initiates a second call to the business terminal 28. The two calls may also be initiated the other way around or simultaneously. The web site provided on the web server 32 may be a  
25 web-based information service such as a telephone directory. However, such a web-based information service has the same limitations as for the first method described above since the web-based information (on the web server 32) must point at (i.e. connect to and therefore know about) the voice button server 31. Therefore provisioning of multiple web-based information services (e.g. directories) and multiple  
30 voice button servers independently of each other is not possible and at best requires very complex implementations (somewhat akin to method two described above). Another drawback of this approach is that the call to the business telephone 28 is made from the voice button server 31 rather than the customer telephone 27. This means that the business has no information about the customer telephone 27 which  
35 requested the call. Because the method effectively involves joining or conferencing

together the customer's telephone 27 and the business telephone 28 this call actually involves making two calls and has an inefficient loop through the voice button server 31 as compared with making a direct call from the customer to the business. This is often referred to as a "tromboning effect".

5 A fourth method is now described, with reference to Figure 1b. In this case, a web-browser provided on a client computer 10 is set up with a special "plug in"<sup>or</sup> in-built capability which enables the web-browser to recognise and support a special URL tag. Consider the situation where a web-based information service 14 provides a telephone directory. When a user selects an entry from the telephone directory, the  
10 corresponding telephone number is sent from the telephone directory web page to the user's computer 10 using the special URL tag. This URL tag is recognised by the specially configured web-browser at the client computer as containing a telephone number to be passed to a telephone (previously associated with the client computer using a standard CTI link or software telephone connection 30) for calling. The main  
15 drawback with this method is that each user's web-browser needs to be specially configured to recognise and support the particular URL tags. Microsoft (trade mark) have introduced the proprietary URL tag CALLTO which automatically initiates a call using the telephone number which follows the URL tag. Microsoft's NetMeeting (trade mark) software is used to do this. The user's web-browser needs to be  
20 equipped with a helper application to pick-up the special URL tag and pass it to the appropriate application or device using a suitable protocol or interface. For example, CALLTO passes the information (phone number) to Microsoft NetMeeting (trade mark) which then places the call. Thus in this fourth method the web-based information service does not require information about the user's telephone.  
25 However, each user must use a special web-browser as described above and needs either a helper software telephone application (like Netmeeting (trade mark) or a standard CTI link 30. Thus it can be seen that even if the market reaches the stage where the required URL tag and the special browser capability becomes standard and widely available this approach does not resolve to requirement to have a fully thin-  
30 client (i.e. a web browser only) solution.

It is accordingly an object of the present invention to provide a method of using a web-browser to pass information from a first web-entity to one of a plurality of second web-entities which overcomes or at least mitigates one or more of the problems noted above.



Further benefits and advantages of the invention will become apparent from a consideration of the following detailed description given with reference to the accompanying drawings, which specify and show preferred embodiments of the invention.

5     **Summary of the invention**

According to an aspect of the present invention there is provided a method of using a web-browser to pass information from a first web-entity to one of a plurality of second web-entities, said method comprising the steps of:-

- 10             • receiving a pre-specified address of a redirection server, together with additional information, from the first web-entity at the web-browser;
- forwarding an address of the second web-entity to the redirection server from the web-browser such that the redirection server redirects the web-browser to the second web-entity and
- 15             • passing the additional information from the web-browser to the second web-entity.

20     This provides the advantage that information from a first web-entity is passed to a second web-entity under the control of a web-browser. For example, the first web-entity may be a web-based information system such as a telephone directory or television programme schedule database. The second web-entity is an information receiver such as a web-server that is connected to a PBX, or a video recorder or telephone terminal.

Advantageously, separation (i.e. independent provisioning) of the various entities in the solution is provided.

25     Advantageously, the method involves using a standard web capability to pass information between two unrelated web entities (such as a web-based information system and an information receiver) under the control of a web-browser. Typically a web-browser is used to receive information from one or more web sites. In contrast,

the present invention involves using a web-browser simply to control the passing of information.

According to another aspect of the present invention there is provided a web-based information system arranged to provide items of information, said web-based information system comprising:-

5

- an input arranged to receive instructions from a web-browser such that an item of information from the database may be accessed and selected;
- an output arranged to forward a pre-specified address of a redirection server together with an item of information accessed from the database to the web-browser.

10

This provides the advantage that a web-based information system, such as a telephone directory service, is provided where a user is able to use a web browser to select an item from the directory. The web-based information system then sends a pre-specified address to the web-browser in order that the web-browser may be redirected, for example, to a PBX for setting up a telephone call to the number selected from the directory.

15

According to another aspect of the present invention there is provided a method of operation of a web-based information system which is arranged to provide items of information said method comprising the steps of:-

20

- receiving instructions from a web-browser such that an item of information from the database is accessed and selected;
- forwarding a pre-specified address of a redirection server together with the accessed, selected item of information to the web-browser.

25

According to another aspect of the present invention there is provided a web server for redirecting a web-browser said web server comprising:

- an input arranged to receive from the web-browser an address of a web-entity together with additional information; and
- a processor arranged to redirect the web-browser to the web-entity such that in use the web-browser may send the additional information to the web-entity.

The web-server, for example, a redirection server as described herein, is advantageous because it enables a web-browser to be redirected in order that information may be passed between two web-entities. No prior or subsequent association between the web entities is required.

According to another aspect of the present invention there is provided a computer program for controlling a web server in order to redirect a web-browser, said computer program being arranged to control the <sup>web server</sup> ~~computer program~~ such that :-

- an address of a web-entity is received from the web-browser together with additional information; and
- a processor redirects the web-browser to the web-entity such that in use, the web-browser may send the additional information to the web-entity.

According to another aspect of the present invention there is provided a method of using a web-browser to generate cookies for each of an information receiver, and a redirection server, said method comprising the steps of:-

- accessing the information receiver using the web-browser; and
- automatically redirecting the web-browser to the redirection server.

This provides the advantage that a user is not required to separately access the information receiver and redirection servers separately, in two different actions. Instead the user's web browser is automatically redirected to the redirection server.

This saves time and effort for the user and ensures that cookies are generated correctly and for each required entity.

5 Advantageously, the method involves using a standard web capability to pass information between two unrelated web entities (such as a web-based information system and an information receiver) under the control of a web-browser. Typically a web-browser is used to receive information from one or more web sites. In contrast, the present invention involves using a web-browser simply to control the passing of information.

10 **Brief description of the drawings**

Figure 1 is a schematic diagram of a web-based information system connected to the internet showing web servers connected to the internet and also to private branch exchanges (PBXs).

15 Figure 1b is a schematic diagram of a web-based information system connected to the internet showing user PCs connected to the internet and also to private branch exchanges (PBXs).

Figure 2 is a schematic diagram of a voice button server in communication with customer and business telephone and computer terminals.

20 Figure 3 is a message sequence chart showing a method of accessing information from a web-based information system and forwarding this to an information receiver.

Figure 4 is a message sequence chart showing a method of automatically creating cookies for an information receiver, a corporate redirection server and a well-known redirection server.

25 Figure 5 is a schematic diagram showing two web-based information systems which make use of a single redirection server.

Figure 6 is a schematic diagram of a high performance network architecture.

**Detailed description of the embodiments**

Embodiments of the present invention are described below by way of example only. These examples represent the best ways of putting the invention into practice that are currently known to the Applicant although they are not the only ways in which this could be achieved.

Figure 6 is a schematic diagram of a high performance network architecture which it is desired to produce. A central high performance network (HPA) 600 is shown which is surrounded by an interface layer 601. The interface layer 601 enables the HPA 600 to be used for different service types 602 (such as telephony services, video services, conferencing services and messaging services) as well as enabling services such as directory services and service level agreement (SLA) services to be provided over the whole network rather than nodally. In addition, the interface layer 601 enables many different types of terminal 603 to access the HPA. The present invention provides part of such an interface layer 601 or "wrapper" by enabling information provided using a web-based information system to be sent to any information receiver that is in communication with the network. This is achieved without the need for the web-based information system to know the location of the information receiver.

In the present invention an additional web server is used to receive information from the web-based information system and redirect this information to a required information receiver (such as the user's telephone, video recorder, or other device). In this way the web-based information system does not require knowledge about the information receiver and it is not required to use a special web-browser.

The additional web server is referred to herein as a "well-known redirection server" in order to distinguish it from the web server of the web-based information system. The term "information receiver" is used to refer to the device, apparatus or processor to which it is required to send information from the web-based information service. For example, this information receiver may be a video recorder, a telephone terminal, a private branch exchange or other switch or any other suitable device.

It is possible for the well-known redirection server to be integral with or part of the web-based information system. However, in a preferred embodiment one redirection server and a plurality of web based information systems are used.

5 The information receiver is connected to the web, able to receive a URL and arranged to give at least a standard null response on receipt of a URL. In this way the information receiver is a limited type of web server. However, it is not essential for the information receiver to perform conventional web server functions such as serving web pages.

10 The term "cookie" is used to refer to temporary information that is written from a web-server to a computer on which a connected web-browser is provided. For example, during browsing of a particular web-site, cookie information about the fact that that site has been accessed may be stored in a cookie on the user's computer. Typically, when a user operates the web-browser to request access to the same web-server again, any associated cookie information is forwarded to the web site together with  
15 the request for access.

In the message sequence chart of Figure 3 vertical lines are used to indicate entities between which messages are passed, except for a bold vertical line 300 which is used to divide items on the right hand side which indicate public domain items, from those on the left which are private domain items such as those employed by a  
20 company or enterprise. A web-browser 301 provided on a user's computer 302 is represented by vertical dotted line 303. The user has an associated telephone terminal 304 which is connected to the enterprise's private branch exchange (PBX) 305. The PBX is connected to and controllable by a web server 306 which is referred to as the information receiver 306. This information receiver is itself part of an  
25 intranet 307 specific to the enterprise. The user's computer 302 is also connected to this intranet 307.

The intranet 307 of the enterprise is connected to a public internet 308, for example, via a firewall and in a similar way, the PBX 305 of the enterprise is connected to a public switched telephone network 309. A well known redirection server 310 is  
30 provided as part of the public internet 308 and represented by vertical dotted line 311. Also, a web server is provided for the web-based information system 312 and

this is represented by dotted vertical line 313. The web-based information system 312 is also part of the public internet 308.

5 The information receiver 306 is represented by vertical dotted line 314. An optional corporate redirection server 315 is illustrated. However, an embodiment of the invention is first discussed which does not use such a corporate redirection server 315 and in which steps 4 and 5 in the message sequence chart do not take place.

10 For reasons of clarity, Figure 3 illustrates only one enterprise which uses the web-based information system although other enterprises may also use the same web-based information system in the same manner. In that case, there are a plurality of information receivers 306 and when information is sent from the web-based information system 312 it must be sent to the correct information receiver.

15 A method of accessing information from a web-based information system 312 and forwarding this to the correct information receiver 306 is now described with reference to Figure 3 and using the example that the web-based information system provides a telephone directory. It is also assumed that a user of computer 302 has previously used the web-browser 301 to access the well-known redirection server 310 and that a cookie has been stored on the computer 302 indicating this. This cookie contains an address (e.g. a URL) for the information receiver 306 that is associated with the user's computer 302.

20 The user of computer 302 first accesses the web-based information system 312 using the web-browser 301 and information from the web-based information system 312 is presented on the user's computer. This is indicated by step 1 in Figure 3 and arrow 316 which indicates the flow of information from the web-based information system 312 to the web-browser 301. The user then clicks on an item to select an entry in the telephone directory for say, Joe Bloggs, in order to telephone Joe Bloggs. Each entry in the telephone directory has previously been set up to have an associated HTTP URL address with the telephone number for that entry contained as a parameter of the HTTP URL address (URL is sometimes also called URI (universal resource indicator)). The specific HTTP URL address used is that for the well-known redirection server 310. As a result of clicking on the Joe Bloggs entry, the URL containing Joe Bloggs' telephone number is sent from the web-browser to the well-known redirection server 310. At the same time the cookie containing the URL of the

information receiver 306 is sent from the user's computer 302 to the well-known redirection server 310 as an HTTP command together with the URL containing Joe Bloggs' telephone number. This is indicated by step 2, arrow 317 in Figure 3.

5 When the well-known redirection server 310 receives the HTTP command, it redirects the web-browser 301 to the location identified by the cookie, which is the particular information receiver 306 associated with the user's computer 302. This is indicated by step 3, arrow 318 in Figure 3.

10 As a result of redirecting the web-browser 301 to the information receiver 306, the web-browser 310 resends the HTTP command containing Joe Bloggs' telephone number to the information receiver 306. This is indicated by step 6, arrow 319 in Figure 3. When the information receiver 306 obtains Joe Bloggs' telephone number it is then able to initiate a call to Joe Bloggs.

15 In another embodiment, a corporate redirection server 315 is used in addition to the well known redirection server 310, as illustrated in Figure 3. In this case, two cookies are stored on the user's computer 302. One which contains the address of the information receiver 306 and one which contains the address of the corporate redirection server.

20 During step 2 of the method (arrow 317 in Figure 3) the cookie sent to the well-known redirection server 310 is that containing the address of the corporate redirection server 315. This means that during step 3 of the method the web-browser 301 is redirected to the corporate redirection server 315 instead of directly to the information receiver.

25 Step 4 of Figure 3 then takes place (arrow 320) and this involves the web-browser 301 sending the same HTTP URL command as in step 2 to the corporate redirection server 315. Together with this HTTP command the second cookie is sent which contains the address of the information receiver. This causes the corporate redirection server 315 to redirect to the information receiver 306 (see step 5, arrow 321 of Figure 3). Step 6 (arrow 319) then involves sending the HTTP command to the information receiver which is then able to obtain Joe Bloggs' telephone number  
30 from this HTTP command.



By using a corporate redirection server 315 in this way management of the system is improved for information passing within the enterprise domain (represented on the left hand side of line 300 in Figure 3). This management improvement is as a result of all requests for information receivers coming through a single corporate redirection server 315 which effectively manages which information receivers are used by the users. Thus it is possible to automatically reassign users to different information receivers, for example for load sharing or the introduction of a new service. This is particularly applicable in large, multi-national enterprises where there may be a significant plurality of information receivers. This benefit needs to be balanced against the additional delay incurred in going through two redirection servers.

Another way in which the corporate redirection server may be used is for example for internal directories which would never be made available outside the company's intranet 307. Such an internal web-based information system (like 312 only on the other side of line 300) is configured to point directly to the corporate redirection server 315 instead of to the well known redirection server 310. From there the HTTP URL command is redirected directly to the user's information receiver 306. The primary benefit of such an approach is a performance improvement due to all information exchanges being within the intranet 307 and also the fact that it obviates the need for users of the service to have public internet 308 access.

As described above it is assumed that the user of computer 302 has previously used the web-browser 301 to access the well-known redirection server 310 and that a cookie has been stored on the computer 302 indicating this. This cookie contains an address (e.g. a URL) for the information receiver 306 that is associated with the user's computer 302. Creation of the cookie may be achieved by requesting the user to access the well-known redirection server and then obtaining information from the user about the address of the appropriate information receiver 306 for that particular user. This information is not stored by the well-known redirection server 310 but is simply used to form the cookie that is sent to and stored on the user's computer 302. Thus the well-known redirection server 310 does not store information about the information receiver 305. Neither does the web-based information system 312 store or access information about the information receiver 305. As shown in Figure 3, neither the well-known redirection server 310 nor the web-based information system 312 store data about private domain entities, (those on the right hand side of line 300 in Figure 3).

As mentioned above, in some embodiments, more than one redirection server is used and a cookie is needed for each redirection server. These cookies are obtained during previous web access of the appropriate redirection server as described above. In addition, in order for the information receiver 306 to act appropriately on the information which is passed to it in the HTTP URL command, a cookie may also be required from the information receiver containing information about the user's service as provided by the information receiver 306. For example this information could specify which telephone set 304 to make the call from when a specific web browser 301 is used to send a dialling command to the information receiver 306 via the various redirection servers 310, 315. In order to simplify the process of creating and storing these cookies, an automatic redirection process may be used as now described with reference to Figure 4.

A user first operates the web-browser 301 to access the information receiver and a cookie is generated and sent to the web-browser (see arrow 400 in Figure 4). The information receiver then automatically redirects the web-browser 301 to the corporate redirection server 315 (see arrow 401 of Figure 4) by using the standard web server redirection methods which are part of the HTTP protocol as is known in the art. This process then repeats as indicated by arrows 402, 403 and 404 in Figure 4 such that cookies are generated for the corporate redirection server 315, and the well-known redirection server 310.

Figure 5 illustrates how use of the well-known redirection server 310 may be extended for more than one web-based information system. Figure 5 is the same as the part of figure 3 which shows the entities between which messages are sent, except that a second web-based information system 500 is shown. This provides at least some of the same type of information as the first web-based information system 312. For example, the two web-based information systems may be provided by different service providers. The second web-based information system also provides a web page which contains links to the well-known redirection server 310 in order to use the method of the present invention.

The present invention also covers a plurality of information receivers 306, whether within the same intranet 307 or whether part of a plurality of separate intranets or part of the public internet 308. The preferred embodiment of the invention has shown web browsers 301, information receivers 306, PBXs 305 and (optional) corporate

redirection servers 315 deployed within an intranet 307. However, the methods of the present invention may be equally well used where these entities are deployed in the public domain, for example by a public (central office) exchange carrier, an internet service provider (ISP) or an application service provider (ASP).

- 5 The examples described above, which involve dialling a telephone number automatically are also applicable to situations in which a telephone call is transferred of conferenced automatically. That is, the methods can be used to enable a user to select an item from a web based information service and in so doing automatically transfer or conference a call to a particular web entity.
- 10 A range of applications are within the scope of the invention. These include situations in which it is required to pass information from a first web entity such as a web-based information service to a second web entity such as a device, application or other information receiver. In the example described above the web-based information service 312 provides a telephone directory service and the information
- 15 receiver is a PBX 305. However, this is not essential; any suitable type of web-based information service may be used. For example, a television programme schedule, weather information service, or other service. In the case that a television programme schedule is provided, the information receiver may be a video recorder. In step 2 of the method, the URL would contain details of a selected television
- 20 programme instead of a telephone number. This information is then eventually passed to a video recorder associated with the user's computer 302 in order that the video recorder may be automatically programmed to record the specified show. In the case that a weather information service is provided, information about the predicted outside temperature may be passed using the method to a home heating control system which is then able to automatically adjust itself to take into account
- 25 the weather forecast. Many other such applications are possible. As described above the methods can be used with a Voice Button (call-me / click-to-talk) scenario and also in a public switch (as well as a PBX) environment.

**CLAIMS**

5 1. A method of using a web-browser to pass information from a first web-entity to one of a plurality of second web-entities, said method comprising the steps of:-

10 (i) receiving a pre-specified address of a redirection server, together with additional information, from the first web-entity at the web-browser;

(ii) forwarding an address of the second web-entity to the redirection server from the web-browser such that the redirection server redirects the web-browser to the second web-entity and

(iii) passing the additional information from the web-browser to the second web-entity.

15 2. A method as claimed in claim 1 wherein the first web-entity is a web-based information system.

3. A method as claimed in claim 1 wherein the second web-entity is a web-server arranged to redirect the web-browser.

4. A method as claimed in claim 1 wherein the first web-entity does not require access to information about the location of the second web-entity.

20 5. A method as claimed in claim 1 wherein said step (ii) comprises forwarding the additional information to the redirection server together with the address of the second web-entity.

25 6. A method as claimed in claim 1 wherein the additional information comprises a telephone number and the second web-entity is a node in a telecommunications network.

7. A method as claimed in claim 1 wherein the additional information comprises television programme information and wherein the second web-entity is a video recorder.
- 5 8. A method as claimed in claim 1 wherein the address of the second web-entity is forwarded to the redirection server in a cookie from the web-browser.
9. A method as claimed in claim 1 wherein said additional information comprises instructions for an action to be performed at the second web entity.
10. A web-based information system arranged to provide items of information, said web-based information system comprising:-
- 10 (i) an input arranged to receive instructions from a web-browser such that an item of information from the database may be accessed and selected;
- 15 (ii) an output arranged to forward a pre-specified address of a redirection server together with an item of information accessed from the database to the web-browser.
11. A web-based information system as claimed in claim 10 wherein said database of items comprises telephone numbers.
12. A method of operation of a web-based information system which is arranged to provide items of information said method comprising the steps of:-
- 20 (i) receiving instructions from a web-browser such that an item of information from the database is accessed and selected;
- (ii) forwarding a pre-specified address of a redirection server together with the accessed, selected item of information to the web-browser.
- 25 13. A communications network comprising a web-based information system as claimed in claim 10.

14. A communications network as claimed in claim 13 which further comprises at least one redirection server.

15. A web server for redirecting a web-browser said web server comprising:

5

(i) an input arranged to receive from the web-browser an address of a web-entity together with additional information; and

(ii) a processor arranged to redirect the web-browser to the web-entity such that in use the web-browser may send the additional information to the web-entity.

10

16. A web server as claimed in claim 15 wherein said input is arranged to receive a cookie from the web-browser, said cookie containing the address of the web-entity.

17. A web server as claimed in claim 15 wherein the web entity is itself a web server for redirecting a web-browser.

15

18. A computer program for controlling a web server in order to redirect a web-browser, said computer program being arranged to control the computer program such that :-

(i) an address of a web-entity is received from the web-browser together with additional information; and

20

(ii) a processor redirects the web-browser to the web-entity such that in use, the web-browser may send the additional information to the web-entity.

19. A method of using a web-browser to generate cookies for each of an information receiver, and a redirection server, said method comprising the steps of:-

25

(i) accessing the information receiver using the web-browser; and

(ii) automatically redirecting the web-browser to the redirection server.

20. A method as claimed in claim 19 which further comprises repeating said step (ii) of automatically redirecting for one or more additional redirection servers.

**A METHOD OF USING A WEB-BROWSER TO PASS INFORMATION FROM A  
FIRST WEB-ENTITY TO ONE OF A PLURALITY OF SECOND WEB-ENTITIES**

**5 ABSTRACT**

When a user obtains information from a web-based information system this is usually being obtained for a task which then needs to be completed by the user. Often this task involves sending the information onto another device. For example, in the case that the web-based information system is a telephone directory, the task is typically to obtain a person's telephone number and then to make a call to that person. The present invention enables these types of processes to be automated. An additional web server (called a redirection server) is used to receive information from the web-based information system and redirect this information to a required information receiver (such as the user's telephone, video recorder, or other device). In this way the web-based information system does not require knowledge about the information receiver and it is not required to use a special web-browser. In another embodiment, several redirection servers are used in order to improve performance for certain situations, such as where the redirection server is part of a communications network that is private to a particular enterprise.

20



PRIOR ART





Figure 1



PRIOR ART

Figure 1b




Figure 2




Figure 5





FIGURE 3

Parameter	Value	Unit
$\rho_{\text{air}}$	1.225	$\text{kg/m}^3$
$\rho_{\text{water}}$	1000	$\text{kg/m}^3$
$\mu_{\text{air}}$	1.81e-04	$\text{Pa}\cdot\text{s}$
$\mu_{\text{water}}$	0.001	$\text{Pa}\cdot\text{s}$
$\sigma_{\text{air}}$	0.072	$\text{N/m}$
$\sigma_{\text{water}}$	0.072	$\text{N/m}$
$\gamma_{\text{air}}$	1.4	-
$\gamma_{\text{water}}$	1.0	-
$\alpha_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\alpha_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\beta_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\beta_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\kappa_{\text{air}}$	0.026	$\text{W/m}\cdot\text{K}$
$\kappa_{\text{water}}$	0.6	$\text{W/m}\cdot\text{K}$
$\nu_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\nu_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\eta_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\eta_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\lambda_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\lambda_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\nu_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\nu_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\eta_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\eta_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$
$\lambda_{\text{air}}$	0.00015	$\text{m}^2/\text{s}$
$\lambda_{\text{water}}$	0.000014	$\text{m}^2/\text{s}$

3/



Subscriber  
(Patent User/Admin  
Domain)




Figure 6

**DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **A METHOD OF USING A WEB-BROWSER TO PASS INFORMATION FROM A FIRST WEB-ENTITY TO ONE OF A PLURALITY OF SECOND WEB-ENTITIES**, the specification of which:

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as

Application Serial No. \_\_\_\_\_

and was amended on \_\_\_\_\_ if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, Section

119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

**PRIOR FOREIGN APPLICATION(S)**

<u>Country</u>	<u>Number</u>	<u>Date Filed</u>	<u>Priority Claimed</u>	
			<u>Yes</u>	<u>No</u>
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status</u>
_____	_____	_____
_____	_____	_____

And I hereby appoint Thomas E. Smith, Registration No. 18,243, Dennis M. McWilliams, Registration No. 25,195, James R. Sweeney, Registration No. 18,721, William M. Lee, Jr., Registration No. 26,935, Glenn W. Ohlson, Registration No. 28,455, David C. Brezina, Registration No. 34,128, Jeffrey R. Gray, Registration No. 33,391, Timothy J. Engling, Registration No. 39,970, Gregory B. Beggs, Registration

No. 19,286, Gerald S. Geren, Registration No. 24,528, Peter J. Shakula, Registration No. 40,808, and Robert F.I. Conte, Registration No. 20,354, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith. It is requested that all communications be directed to Lee, Mann, Smith, McWilliams, Sweeney & Ohlson, P.O. Box 2786, Chicago, Illinois 60690-2786, telephone number (312) 368-1300.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Arik Elberse

Signature  Date 27 Oct 2000

Country of Residence: Ireland

Country of Citizenship: ~~Ireland~~ The Netherlands

Post Office and Residence Address: 102 Clybaun Heights  
Knocknacarra  
Galway  
Ireland  
\_\_\_\_\_



Full name of joint inventor: Breandán Dalton

Signature Breandán Dalton

Date 31/10/2000

Country of Residence: Ireland

Country of Citizenship: Ireland

Post Office and Residence Address: 90 Ros Ard

Bothar an Cheapaigh

Gallimh

Eire

Ireland

Full name of joint inventor: Séamus MacConaonaigh

Signature Séamus MacConaigh

Date 31/10/2000

Country of Residence: ÉIRE

Country of Citizenship: ÉIRE

Post Office and Residence Address: 25, Bóthar Uí Chonnaire

SEAN TALAMH

GALLIMH

ÉIRE